



— Cancer Stem Cell 論文リスト —

- Brain tumor
- Breast cancer
- Ovarian cancer
- Prostate cancer
- Renal carcinoma
- Hepatocellular carcinoma
- Colon cancer
- Melanoma
- Pancreas adenocarcinoma
- Reviews

<分離・解析に有用な MACS 製品>

[CD133 MicroBeads](#)

[CD44 MicroBeads](#)

[CD24 MicroBead Kit](#)

[CD326\(EpCAM\) MicroBeads](#)


[CD20 MicroBeads](#)

[CD15 MicroBeads](#)

[CD45 MicroBeads](#)

[CD271 \(LNGFR\) MicroBead Kit](#)

※各抗体もご用意しています



Cancer Stem Cell - Reference List

※これらは、2003-2011 に発表された文献の抜粋です。

■ 脳腫瘍 Glioblastoma – Medulloblastoma

Identification of a Cancer Stem Cell in Human Brain Tumors.

Sheila K. Singh, et al.

Cancer Research 2003 63: 5821–5828.

Identification of human brain tumor initiating cells.

Sheila K. Singh, et al.

Nature 2004 432 (18): 396-401.

Cancer stem cells in nervous system tumors.

Sheila K. Singh, et al.

Oncogene 2004 23: 7267-7273.

Cancer Stem Cell Analysis and Clinical Outcome in Patients with Glioblastoma Multiforme

Roberto Pallini, et al.

Clin. Cancer Res., Dec 2008; 14: 8205 - 8212.

Culture and Isolation of Brain Tumor Initiating Cells

Monika Lenkiewicz, et al.

Curr. Protoc. Stem Cell Biol 2009 .11:3.3.1-3.3.10

SSEA-1 is an enrichment marker for tumor-initiating cells in human glioblastoma.

Son, M. J. *et al.*

Cell Stem Cell 2009; 4: 440–452.

Identification of CD15 as a marker for tumor-propagating cells in a mouse model of medulloblastoma

Read, T-A. *et al.*

Cancer Cell 2009; 15: 135–147.

■ 上衣腫

Radial glia cells are candidate stem cells of ependymoma.

MD Taylor, et al.

Cancer Cell 2005 8(4): 323-35.

■ **前立腺癌**

Prospective Identification of Tumorigenic Prostate Cancer Stem Cells.

Anne T. Collins, et al.

Cancer Res 2005 65: 10946 - 10951.

The role of CD133 in normal human prostate stem cells and malignant cancer-initiating cells

Roberto Pallini, et al

Clin. Cancer Res., Dec 2008; 14: 8205 - 8212.

■ **腎癌**

Prominin-1/CD133, a neural and hematopoietic stem cell marker, is expressed in adult human differentiated cells and certain types of kidney cancer.

Mareike Florek, et al.

Cell Tissue Res 2005 319: 15–26.

CD133+ renal progenitor cells contribute to tumor angiogenesis.

Bruno, S. *et al.*

Am. J. Pathol.2006; 169: 2223–2235.

Microvesicles Released from Human Renal Cancer Stem Cells Stimulate Angiogenesis and Formation of Lung Premetastatic Niche

Cristina Grange, et al.

Cancer Res., Aug 2011; 71: 5346 - 5356

■ **大腸癌**

Identification and expansion of human colon-cancer-initiating cells

Lucia Ricci-Vitiani, et al.

Nature 2007 4 January Vol.445, 111-115

A human colon cancer cell capable of initiating tumour growth in immunodeficient mice.

O'Brien CA, et al.

Nature 2007; 445, 106 - 110

Phenotypic characterization of human colorectal cancer stem cells.

Dalerba, P. *et al.*

Proc. Natl. Acad. Sci. USA 2007; 104: 10158–10163.

CD44 is of functional importance for colorectal cancer stem cells

Lei Du, et al.

Clin Cancer Res 2008; 14(21) November 1

Phenotypic Subpopulations of Metastatic Colon Cancer Stem Cells: Genomic Analysis

INNA L. BOTCHKINA, et al.

Cancer Genomics Proteomics, Jan 2009; 6: 19 - 29.

Chemoresistant colorectal cancer cells, the cancer stem cell phenotype, and increased sensitivity to insulin-like growth factor-I receptor inhibition.

Nikolaos, A.

Cancer Res. 2009; 69: 1951–1957.

A subpopulation of CD26+ cancer stem cells with metastatic capacity in human colorectal cancer.

Pang, R. *et al.*

Cell Stem Cell 2010; 6: 603–615.

The AC133 epitope, but not the CD133 protein, is lost upon cancer stem cell differentiation.

Kemper, K. *et al.*

Cancer Res. 2010; 70: 719–29.

■ **肝臟癌**

Characterization of CD133⁺ hepatocellular carcinoma cells as cancer stem/progenitor cells

Suetsugu A, et al.

Biochem Biophys Res Commun. 2006 Dec 29;351(4):820-4. Epub 2006 Nov 2.

CD133 positive hepatocellular carcinoma cells possess high capacity for tumorigenicity

Shengyong Yin, et al.

Int J Cancer. 2007 Jan 4

Aldehyde Dehydrogenase Discriminates the CD133 Liver Cancer Stem Cell Populations

Stephanie Ma, et al.

Mol. Cancer Res., Jul 2008; 6: 1146 - 1153.

Identification of local and circulating cancer stem cells in human liver cancer.

Yang, Z.F. *et al.*

Hepatology 2008; 47: 919–928.

■ 肝癌

CD133 positive hepatocellular carcinoma cells possess high capacity for tumorigenicity

Shengyong Yin

Int. J. Cancer: 120, 1444–1450 (2007)

Detection of tumor stem cell markers in pancreatic carcinoma cell lines

Monika Olempska, et al.

Hepatobiliary Pancreat Dis Int 2007; 6: 92-97

Identification of pancreatic cancer stem cells.

Li, C. *et al.*

Cancer Res. 2010; 67: 1030–1037.

■ 肺癌

Identification and expansion of the tumorigenic lung cancer stem cell population.

Eramo, A *et al*

Cell Death Differ 2008; 15: 504–514.

Highly tumorigenic lung cancer CD133⁺ cells display stem-like features and are spared by cisplatin treatment

Giulia Bertolini, et al.

PNAS, Sep 2009; 106: 16281 - 16286.

■ 卵巢癌

Identification and Characterization of Ovarian Cancer-Initiating Cells from Primary Human Tumors

Shu Zhang, et al.

Cancer Res 2008;68: 4311–4320.

CD133 antigen expression in ovarian cancer.

Ferrandina, G. *et al*

BMC Cancer. 2009; 7: 221.

CD24⁺ cells from hierarchically organized ovarian cancer are enriched in cancer stem cells.

Gao, M-Q. *et al*

Oncogene 2010; 29: 2672–2680.

■ 乳癌

From the Cover: Prospective identification of tumorigenic breast cancer cells.

Al-Hajj, M. *et al.*

Proc. Natl. Acad. Sci. USA 2003; 100: 3983–3988

■ Ewing 肉腫

Identification of Cancer Stem Cells in Ewing's Sarcoma

Mario-Luca Suvà, et al.

Cancer Res., Mar 2009; 69: 1776 - 1781.

■ 子宮内膜癌

Cells with Characteristics of Cancer Stem/Progenitor Cells Express the CD133 Antigen in Human Endometrial Tumors

Sergio Rutella, et al.

Clin. Cancer Res., Jul 2009; 15: 4299 - 4311.

■ メラノーマ

A tumorigenic subpopulation with stem cell properties in melanomas.

Fang, D. *et al.*

Cancer Res. 2005; 65: 9328–9337.

Putative cancer stem cells in cutaneous malignancies.

Kamstrup, M.R. *et al.*

Exp. Dermatol. 2007; 16: 297–301.

Identification of cells initiating human melanomas.

Schatton, T. *et al.*

Nature 2008; 45: doi:10.1038/nature06489.

Human melanoma-initiating cells express neural crest nerve growth factor receptor CD271.

Boiko, A. *et al.*

Nature 2010; 466: doi:10.1038/nature09161.

■ Reviews

Clarke Self-renewal and solid tumor stem cells.

M Al-Hajj and MF

Oncogene 2004 23(43): 7274-82.

Cancer Stem Cells.

Wei Guo, Joseph L. Lasky, Hong Wu

Pediatr. Res 2006 59: 59R-64R

Brain cancer stem-like cells.

T Kondo

Eur J Cancer, 2006 42(9): 1237-42.

Brain Tumor Stem Cells.

Ichiro Nakano and Harley I. Kornblum

Pediatr. Res, 2006 59: 54R - 58R.

Getting at the root and stem of brain tumors.

TG Oliver and RJ Wechsler-Reya

Neuron, 2004 42(6): 885-8.

Cancer Stem Cells: An Old Idea—A Paradigm Shift

Max S. Wicha, Suling Liu, and Gabriela Dontu

Cancer Res 2006 66: 1883-1890.

A Perivascular Niche for Brain Tumor Stem Cells.

Calabrese C, et al

Cancer Cell. 2007 Jan;11(1):69-82.

Making a tumor's bed: glioblastoma stem cells and the vascular niche

Richard J. Gilbertson and Jeremy N. Rich

nature reviews | cancer volume 7 | october 2007 | 733

Cancer Stem Cells in the Central Nervous System – A Critical Review

Lars Prestegarden and Per Øyvind Enger

Cancer Res., Nov 2010; 70: 8255 - 8258.

More than Markers: Biological Significance of Cancer Stem Cell-Defining Molecules

Stephen B. Keysar and Antonio Jimeno

Mol. Cancer Ther., Sep 2010; 9: 2450 - 2457.